

Vista[®]

Fashion your lifestyle

AWNINGS & UMBRELLAS





EXTERIOR BLINDS & AWNINGS

Retractable & Non - Retractable Systems




EXTERIOR BLINDS & AWNINGS

Retractable & Non - Retractable Systems

VISTA® Awnings offers a complete customized solution for covering open spaces.

- ☐ Super strong metal framework for durable performance.
- ☐ Powder coated finish which ensures corrosion-resistant metal frame.
- ☐ Fasteners and cables provide corrosion-resistant and long-life operation.
- ☐ All motorized units use Somfy® brand (or as ordered), heavy-duty motors and are available with optional manual override and wireless remote control operation.
- ☐ Fabric damage from over rolling is eliminated by the bevel gear with a built-in stop.
- ☐ Sizes range from 6.5 to 38.5 feet wide, with seven folding arm projection sizes from 4 feet 2 inches to 12 feet 6 inches. Custom arm sizes and a narrow width series are available.
- ☐ Adjustable locking awning pitch from 15° to 45° for maximum shade control.
- ☐ Rainbow of fabric color choice from striped fabrics to elegant planes. All are mildew resistant and will hold their color and appearance in any climate for years upon years.
- ☐ Frame finish available in standard colors of white to complement any style home.
- ☐ Extruded aluminum front bar attachment, support bar and roller tube are engineered for long-lasting strength and durability against sagging and bowing.
- ☐ Four valance styles to choose from.
- ☐ Safety and quality is assured



AWNINGS

R e t r a c t a b l e & N o n - R e t r a c t a b l e S y s t e m s

The life and good looks of your awnings depend a great deal on the way you use them and how you care for them. Your awnings are made from best Acrylic fabric available. We use only the best available water repellants and mildew retardants in VISTA Awning fabrics, and you can rely on our experience and quality. Even the most durable materials require a certain amount of care, and fabric awnings are no exception. With only the minimum amount of attention, your awnings will remain bright and serviceable.

Do's

Do wash down your awnings. If they are vinyl coated, brush lightly with a cloth or soft brush. You can use a mild soap, but rinse thoroughly and immediately.

Do keep the awnings clean. This is the best protection against mildew. Even on mildew resistant fabric, mildew can grow on accumulated dirt or foreign materials which remain on the top or bottom surface and eventually damage or stain the fabric. VISTA® cannot be responsible for such damage.

Do check the condition of awning frames. Rust is not likely to form, but if it does, it might cause deterioration or staining of the fabric.

Do keep shrubbery and vines away from the awnings, as many bushes contain an acid which can be harmful to your awnings.

Do hose your awning with clean water occasionally, every month or so. We recommend that you do this on a hot, sunny day.

Do keep the underside of your awnings clean by simply brushing with a clean household broom.

Don'ts

Do not store awnings when damp or wet.

Mildew is a fabric's greatest foe and is caused by dampness. Mildew may grow on the surface of a damp awning and permanently stain the fabric.

Do not get insect spray on the fabric, as some solutions may impair the water repellency of the fabric and cause staining.

Do not permit leaves, twigs, dirt, etc. to remain on your awnings as they might cause a staining of the fabric.

Do not wash your awnings with a harsh or strong solution, or scrub too vigorously with an abrasive cleaner.

Do not drag your awning across any abrasive surfaces, such as cement, asphalt, or the awning frame.

Do not overlook small rips or tears. If a sharp object punctures the fabric, it should be repaired.



Do not allow water to stand on the awnings, causing pocketing and possible stretching.

Do not force or yank your awnings when raising or lowering them. Do it gradually.

Do not cook food or have fires beneath or around the awning.

Do not fold or roll the awning in cold temperature.

Vista[®]
Fashion your lifestyle



Fabric characteristics

Composition	100% Solution-dyed acrylic fiber	
Type of fabric	Reversible acrylic	
Finish	Special "Infinity Process" treatment for awnings: repels water and dirt, creating an anti-stain and anti-mould barrier, whilst allowing the canvas to breathe.	BS 7209
Use	Outdoor	

Technical characteristics

Weight	305 g/m ²	UNE-EN 12127
Thickness	0,55 mm	UNE-EN ISO 5084
Width	120 cm standard	
Standard roll lenght	60 m	
Water column	H300 mm	UNE-EN 20811
Tensile strength (warp/weft)	165/85 daN/ 5 cm	UNE-EN ISO 13934-1
Tear strength (warp/weft)	4,5/3 daN	UNE-EN ISO 13937-2
Colour fastness to artificial light-Xenotest	4-5 (Good-Excellent) Grey Scale 7-8 (Very Good-Excellent) Blue Scale	UNE-EN ISO 105 B02
Colour fastness to artificial weathering - Xenotest	4 (Good) Grey Scale	UNE-EN ISO 105 B04
Oil repellency	H 5	UNE-EN ISO 14419
Water repellency	H 5	UNE-EN ISO 4920
Performance in saline environment	No blistering. No cracking. No change	UNE-EN ISO 9227
Resistance to chemical agents diluted in water	Window cleaning fluid, ammonia, alcohol, bleach - No change	UNE-EN ISO 2812-1
Antimicrobial activity	Up to 99,99% bacteria growth reduction	AATCC Test Method 100-2012

Advantages and benefits



Textile look and feel



Printable fabrics




Suitable for marine environments



Easy to clean



Energy saving



Cost saving




Stands the test of time

Safety, health and environment

Ultraviolet protection factor - UPF

UV80 (Excellent protection)

UV Standard 801



CERTIFICACIÓN ENERGÉTICA



(SPAIN GREEN BUILDING COUNCIL)



INDEX

PLANS			STRIPES			STRIPES			STRIPES		
SR. NO.	CODE	PAGE NO.	SR. NO.	CODE	PAGE NO.	SR. NO.	CODE	PAGE NO.	SR. NO.	CODE	PAGE NO.
1.	117	9	23.	063	13	45.	747	24	45.	581	35
2.	520	9	24.	098	13	46.	748	24	46.	584	35
3.	528	9	25.	324	14	47.	801	25	47.	586	36
4.	531	9	26.	326	14	48.	803	25	48.	587	36
5.	532	9	27.	328	15	49.	807	26	49.	588	37
6.	535	9	28.	352	15	50.	808	26	50.	589	37
7.	536	10	29.	363	16	51.	812	27	51.	590	38
8.	537	10	30.	411	16	52.	827	27	52.	593	38
9.	538	10	31.	413	17	53.	841	28	53.	594	39
10.	540	10	32.	418	17	54.	843	28	54.	595	39
11.	542	10	33.	423	18	55.	848	29	55.	597	40
12.	543	10	34.	425	18	56.	854	29			
13.	545	11	35.	428	19	57.	874	30			
14.	546	11	36.	430	19	58.	960	30			
15.	547	11	37.	434	20	59.	569	31			
16.	548	11	38.	435	20	60.	570	31			
17.	551	11	39.	445	21	61.	572	32			
18.	552	11	40.	447	21	62.	574	32			
19.	554	12	41.	465	22	63.	575	33			
20.	556	12	42.	700	22	64.	577	33			
21.	558	12	43.	706	23	65.	579	34			
22.	562	12	44.	707	23	66.	580	34			



PLAIN




Shade No. 117




Shade No. 520




Shade No. 528



Shade No. 531



Shade No. 532



Shade No. 535



STANDARD 100



FTALATOS FREE




LEAD FREE




PLAIN




Shade No. 536



Shade No. 537




Shade No. 538



Shade No. 540




Shade No. 542



Shade No. 543



PLAIN




Shade No. 545



Shade No. 546




Shade No. 547



Shade No. 548



Shade No. 551



Shade No. 552



STANDARD 100



FTALATOS FREE




LEAD FREE



GREENGUARD



PLAIN




Shade No. 554



Shade No. 556



Shade No. 558



Shade No. 562



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION
ENERGETICA



GREEN BUILDING COUNCIL





STRIPES



Shade No. 063

Width 120 cm

UV Protection 80



Shade No. 098

Width 120 cm

UV Protection 80



STANDARD 100




STRIPES



Shade No. 324

Width 120 cm


UV Protection 80



Shade No. 326

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA




GREEN BUILDING COUNCIL



BREEAM





STRIPES



Shade No. 363

Width 120 cm


UV Protection 80



Shade No. 411

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL




STRIPES



Shade No. 328

Width 120 cm


UV Protection 80



Shade No. 352

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL




STRIPES



Shade No. 413

Width 120 cm


UV Protection 80



Shade No. 418

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGICA



GREEN BUILDING COUNCIL



BREEAM



10 YEAR WARRANTY



STRIPES



Shade No. 434

Width 120 cm


UV Protection 80



Shade No. 435

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED



BREEAM CERTIFIED



10 YEAR WARRANTY


STRIPES



Shade No. 423

Width 120 cm


UV Protection 80



Shade No. 425

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL




STRIPES



Shade No. 428

Width 120 cm


UV Protection 80



Shade No. 430

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED




STRIPES



Shade No. 445

Width 120 cm

UV Protection 80



Shade No. 447

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION
ENERGETICA




GREEN BUILDING COUNCIL



10 YEAR WARRANTY




STRIPES



Shade No. 465

Width 120 cm


UV Protection 80



Shade No. 700

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED





STRIPES



Shade No. 706

Width 120 cm


UV Protection 80



Shade No. 707

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION
ENERGETICA



GREEN GREEN BUILDING COUNCIL




STRIPES



Shade No. 747

Width 120 cm


UV Protection 80



Shade No. 748

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA




GREEN BUILDING COUNCIL



BREEAM





STRIPES



Shade No. 801

Width 120 cm


UV Protection 80



Shade No. 803

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED



STRIPES



Shade No. 807

Width 120 cm


UV Protection 80



Shade No. 808

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGICA



GREENGUARD



BREEAM




STRIPES



Shade No. 812

Width 120 cm

UV Protection 80



Shade No. 827

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL



BREEAM




STRIPES



Shade No. 841

Width 120 cm

UV Protection 80



Shade No. 843

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGICA



GREENGUARD



BREEAM





STRIPES



Shade No. 848

Width 120 cm


UV Protection 80



Shade No. 854

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL





STRIPES



Shade No. 874

Width 120 cm

UV Protection 80



Shade No. 960

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED



STRIPES



Shade No. 569

Width 120 cm

UV Protection 80



Shade No. 570

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL



STRIPES

Vista®
Fashion your lifestyle



Shade No. 572

Width 120 cm

UV Protection 80



Shade No. 574

Width 120 cm

UV Protection 80



STRIPES



Shade No. 575

Width 120 cm

UV Protection 80



Shade No. 577

Width 120 cm

UV Protection 80



Vista®
Fashion your lifestyle




STRIPES



Shade No. 579

Width 120 cm


UV Protection 80



Shade No. 580

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGICA




GREENGUARD CERTIFIED



BREEAM CERTIFIED




STRIPES



Shade No. 581

Width 120 cm


UV Protection 80



Shade No. 584

Width 120 cm

UV Protection 80



STANDARD 100




STRIPES



Shade No. 586

Width 120 cm


UV Protection 80



Shade No. 587

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE




CERTIFICACION
ENERGICA



GREENGUARD
GREENGUARD
GREENGUARD





STRIPES



Shade No. 588

Width 120 cm


UV Protection 80



Shade No. 589

Width 120 cm

UV Protection 80



STANDARD 100



F TALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREEN BUILDING COUNCIL



10 YEAR WARRANTY





STRIPES



Shade No. 590

Width 120 cm

UV Protection 80



Shade No. 593

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED



BREEAM CERTIFIED



10 YEAR WARRANTY


STRIPES



Shade No. 594

Width 120 cm

UV Protection 80



Shade No. 595

Width 120 cm

UV Protection 80



STANDARD 100



FTALATOS FREE



LEAD FREE



CERTIFICACION ENERGETICA



GREENGUARD CERTIFIED



BREEAM CERTIFIED



10 YEAR WARRANTY


STRIPES



Shade No. 597

Width 120 cm

UV Protection 80



STANDARD 100



Vista®

Fashion your lifestyle

VISTA FURNISHING LTD

A-3, Loni Road Industrial Area, Site-II, Opp. Mohan Nagar, Ghaziabad (U.P.)-201007

Email Id : customercare@vistafurnishing.com Website : www.vistafashions.com