

# VISTA *Premium*

wooden laminate flooring



premium  
**FLOORING**

**PRODUCT BROCHURE**

TAKE A LOOK AT OUR PREMIUM FLOORING PRODUCT RANGE.





## PREMIUM 8 MM

Vista Premium laminate flooring adds a classic aesthetic and functionality to the space with its suave and silky smooth surface. Choose from its stunning styles and classic shades to add that modern looking charm to your space.

It can be cleaned by merely wiping with a damp cloth, and comes with a long-term warranty.

# PREMIUM FEATURES

## Durable against abrasion

The Premium Laminate flooring belongs to abrasion category AC4. The Abrasion Criteria or 'AC' rating is the internationally accepted classification of laminate flooring durability. Laminate AC ratings measure wear resistance. When buying or specifying commercial laminate flooring it is vital to understand the product's suitability for its intended application or usage class.

## Square Edged

The Premium Laminate flooring is installed in the shape of a square edge. Its jointing part are flat and square after installation. There are no special traces on the jointing section and two planks are joined together smoothly and naturally.





### The Happy Medium

8mm are around the average thickness chosen for laminate flooring, and will suit everyday household use.

They are not the thinnest products, so can handle more than light footfall, but also not so thick as to be able to handle heavy footfall in busy households.

### Click Together Installation


Thanks to the click-together method, it's easy to install the Premium Laminate flooring. With no need for glue, screws or nails the planks of flooring click in to place and lock together, leaving behind no risk of gaps in the joints.



### Range Dynamics:

SHADES: Available in more than 08 beautiful colors.

# PREMIUM



## PREMIUM 8 MM

Vista Premium laminate flooring adds a classic aesthetic and functionality to the space with its suave and silky smooth surface. Choose from its stunning styles and classic shades to add that modern looking charm to your space.

It can be cleaned by merely wiping with a damp cloth, and comes with a long-term warranty.

### Range Dynamics:

SHADES: Available in more than 08 beautiful colors.



VFF 001

VFF 002

VFF 004





VFF 005



VFF 006




VFF 007



VFF 008

VFF 103

VFF 106





**VFF 107**



**VFF 108**




**VFF 109**





VFF 111



VFF 112




VFF 113



VFF 114

VFF 115


VFF 116



VFF 117

VFF 118

VFF 119



VFF 120

VFF 121

VFF 122



Safety Test Type	Test Method	Requirement	Typical Value
			Vista Premium
			Shade 001-002, 004-008,103, 106-108
Abrasion Resistance	EN 13329	AC4 $\geq$ 4000	4000
Impact Resistance	EN 13329	$\geq$ IC1	Impact class $\geq$ IC1
Thickness Swelling	EN 13329	$\leq$ 18%	$\leq$ 8.5%
Effect of Furniture Leg	EN 13329	No damage with type 0 indentor	No damage will be visible when tested with foot type 0
Effect of Furniture Leg	EN 424	No damage with type 0 indentor	No visible defects
Effect of Castor Chair	EN 425	No damage or visible change in appearance	No visible defects
Static Indentation	EN 433	No visible changes	No visible defects
Resistance to Stain	EN 438-2,15	Group 1& 2:5 Group 3:4	4. (Group 3)
Resistance to Cigarette Burn	EN 438-2,18	$\geq$ Rating 4	4
Formaldehyde Release	EN 717	E1 $\leq$ 1.5mg/L	0.3
Determination of Surface Soundness	EN 13329	$\geq$ 1N/mm <sup>2</sup>	1.4N/mm <sup>2</sup>
Dimensional Variations After Change in Humidity	EN 13329	$\leq$ 0.9mm	$\delta$ l average:0.6mm $\delta$ W average:0.3mm
Squareness of Element	EN 13329	qmax $\leq$ 0.2mm	q max:0.1mm
Height Difference between Elements (Hmax)	EN 13329	$H_{average} \leq$ 0.2mm $H_{max} - H_{min} \leq$ 0.15mm	$H_{average}$ :0.02mm $H_{max} - H_{min}$ :0.06mm

### Product Description

	Vista Premium	
	Shade 001-002, 004-008,103, 106-108	
Abrasion Class		
Thickness	8.3 mm	
Length of plank	1215 mm	
Width	195 mm	
Locking system	Arc click	

### Product Description

	Vista Premium	
	New Shade 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122	
Abrasion Class		
Thickness	8 mm	
Length of plank	1223 mm	
Width	199 mm	
Locking system	Arc Click	

\*Planks joint locks of Premium & New (111,112,113 & 114) series are not compatible with each other.



---

#### **Corporate Office :**

##### **VISTA FURNISHING LTD :**

A-2, Loni Road Industrial Area, Site-II,  
Opp. Mohan Nagar, Ghaziabad-201007

##### **Customer Care Connect :**

Toll Free No. 1800 8900 401  
Line One : +91- 9560556655  
E-mail : [customercare@vistafurnishing.com](mailto:customercare@vistafurnishing.com)

---

#### **Branch Addresses :**

##### **Bengaluru :**

303, Ahuja Chamber of Commerce  
3rd Floor, Kumara Krupa Road  
Bengaluru - 560001

##### **Pune**

West Avenue, Office No 120 ,  
Sr. No 2, Hissa No.2B, 3A & 3B,  
Opp - PMRDA office , Bremen Chowk  
Aundh Pune - 411067

##### **Mumbai**

3116/3117, C- Wing, Oberio  
Garden East, Chandivali Farms Road  
Chandivali, Andheri (East)  
Mumbai - 400072  
Contact : 022-28472111

---

#### **Other States Presence :**

Delhi-NCR, U.P , Gujarat, Rajasthan, Bihar, M .P , Tamil Nadu, A.P ,  
North-East(Guwahati)

Email Id : [customercare@vistafurnishing.com](mailto:customercare@vistafurnishing.com)  
Website : [www.vistafashions.com](http://www.vistafashions.com)